# TECHNICAL SPECIFICATION



# Sonis®1 Ear Defenders

Dark Grey / Green / AEB010-0AY-800



# DESCRIPTION

The Sonis® range has been stylishly designed with a traffic light colour code for easy identification. Materials have been chosen for both performance and comfort over extended periods of use, with careful design ensuring a small number of key components for easy maintenance.

Sonis®1 ear defenders offer low attenuation.

#### OPTIONS

Dark Grey / Green (AEB010-0AY-800) Extra Visibility Green (AEB010-0B1-B00) White / Green (AEB010-0A1-R01)

#### SAFETY STANDARDS

EN 352-1



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



#### SPECIFICATIONS



Cup Material ABS

Adjustable Yes

**BSI Kitemark** 



Yes Recyclable

Recyclable Yes

## FEATURES



# Performance

The Sonis® range of ear defenders have been designed by the JSP R&D team. Working with a leading UK acoustic engineering research facility, they have developed an ear defender range that peaks at an unbeaten 37 SNR.



#### Customisation

Sonis® cups can be coloured to meet a corporate identity. They can also be printed with a company logo for improved brand recognition and to discourage theft. MOQ's apply.



# Hygienic

The headband is manufactured from TPE, making it easy to wipe clean. The sealing rings are easy to replace. Hygiene kits are available for each model.



SNR

27 dB

TPE

Hygiene

**JSPCheck** 

Yes

213g

Hygiene Kits

Product Weight

Head Band Material

٢×

# Comfort

The over-moulded headband has a built-in comfort area with ventilation. The headband force and the cushion surface area work together to provide optimum cushion pressure and comfort.



## **Adjustable Steel Arms**

To facilitate even distribution of pressure the wearer can tilt and adjust the position of the earcup for optimum comfort and fit.



## **Extra Visibility option**

The Sonis® range is available with extra visibility cups and a reflective head band for added low light protection.

# APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

| Aerospace                        | Agricultural                            |
|----------------------------------|---|
| Airports                         | Construction and Infrastructure         |
| Facilities Management            | Food and Drink Manufacturing            |
| Forestry & Landscaping           | Hospitals, Healthcare & Pharmaceuticals |
| Law Enforcement                  | Manufacturing                           |
| Maritime                         | Mining, Aggregates and Quarrying        |
| Oil, Gas and Chemical Companies  | Rail and Tunnelling                     |
| Renewable, Wind and Solar Energy | Scaffolding and Roofing                 |
| Sole Trader                      | Utilities Contractors                   |
| Welding                          |   |
| LOGO                             | RANGE                                   |

Sides



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.



sonis(((1

#### VIDEOS

- www.youtube.com/watch?v=lwV07zfa1Z4
- www.youtube.com/watch?v=AycQ2vqifWE

# DOWNLOADS

Image Pack (ZIP)

doc-sonis1-over-the-head-ear-muff.pdf (PDF)



JSP Limited. Worsham Mill. Minster Lovell. Oxford OX29 0TA. England.

Tel: +44 (0)1993 826050 / Fax: +44 (0)1993 824411 / Email: sales@jspsafety.com / Web: www.jspsafety.com

Do Not Publish without written permission from JSP Limited. Contact copyright@jspsafety.com. Information correct in the United Kingdom at date of issue and may be subject to change. Any third-party machine and automated translations processed by users may have inaccuracies and should not be relied upon.